

# Milestone



August 2, 2016

**RE: ST-25-091 – Michigan Street Two-Way Conversion & Michigan Bus-Only Lane from West Street to Indiana Avenue**

**BID DATE: August 18, 2016**

Dear MBE/WBE/VBE/DOBE Vendor:

Milestone Contractors, L.P. is preparing its quote as prime contractor on the above referenced project. We have attached a description of the work required for this project. Our company would appreciate receiving your quote on any items or portion of items that you are qualified to bid.

Contract documents for this project/work have been assembled into one or more bound Project Manuals that, together with drawings, may be examined at the following locations:

Department of Public Works  
1200 Madison Avenue, Suite 200  
Indianapolis, Indiana 46225

Purchasing Division  
200 East Washington Street  
Suite 1522, City County Building  
Indianapolis, Indiana 46204

Milestone Contractors, L.P.  
5950 South Belmont Avenue  
Indianapolis, IN 46217

If you are in need of assistance to properly submit your quote; please contact Joel McClenney (317) 616-4885 in our Indianapolis office. Quotations may be telephoned or faxed until 5:00 pm August 17, 2016. Our fax number is (317) 788-1098.

Please note per Executive Order Number 1, dated February 27, 1987, it is the policy of the current Administration to strongly encourage efforts to increase opportunities for Minority-Owned Business Enterprises and for Women-Owned Business Enterprises to do business with the City of Indianapolis.

If you are not interested in submitting a quote, please contact our office so we can remove your name from our contact list.

Sincerely,  
**MILESTONE CONTRACTORS, L.P.**

*Sherri Thompson*

Estimating Support  
Attachment

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
1	CONSTRUCTION ENGINEERING	1	0	1	LS		
2	MOBILIZATION AND DEMOBILIZATION	1	0	1	LS		
3	CLEARING R/W	1	0	1	LS		
4	TRANSPORTATION OF SALVAGABLE MATERIALS	1	0	1	LS		
5	TREE, 6 INCH, REMOVE (OVER 4" TO 8")	37	2	39	EACH		
6	TREE, 10 INCH, REMOVE (OVER 8" TO 12")	13	0	13	EACH		
7	TREE, 18 INCH, REMOVE (OVER 12" TO 24")	27	1	28	EACH		
8	TREE, 30 INCH, REMOVE (OVER 24" TO 36")	2	0	2	EACH		
9	TREE, 48 INCH, REMOVE (OVER 36" TO 60")	1	0	1	EACH		
10	BOLLARD, REMOVE	1	0	1	EACH		
11	CASTING, REMOVE	18	3	21	EACH		
12	CURB & GUTTER, REMOVE	1,463	389	1,852	LFT		
13	CURB, CONCRETE, REMOVE	8,188	52	8,240	LFT		
14	CURB, INTEGRAL, REMOVE	71	0	71	LFT		
15	DRIVEWAY REMOVAL, ALL TYPES	150	0	150	SYS		
16	FENCE, CHAIN, REMOVE	15	0	15	LFT		
17	FENCE, STEEL TUBE, REMOVE	100	0	100	LFT		
18	FLAGPOLE, REMOVE	2	0	2	EACH		
19	FLEXIBLE BOLLARD, REMOVE	4	0	4	EACH		
20	INLET, REMOVE	22	0	22	EACH		
21	IRRIGATION SUPPLY LINE, REMOVE (UNDISTRIBUTED)	1,000	0	1,000	LFT		
22	MANHOLE, REMOVE	2	0	2	EACH		
23	NON-SHEET SIGN FOUNDATION, CONCRETE, REMOVE	4	0	4	EACH		
24	NON-SHEET SIGN, REMOVE	7	0	7	EACH		
25	OVERHEAD SIGN STRUCTURE, CANTILEVER, REMOVE	3	0	3	EACH		
26	PAVEMENT REMOVAL	4,391	0	4,391	SYS		
27	PIPE, REMOVE	200	0	200	LFT		
28	SIDEWALK, CONCRETE, REMOVE	7,471	352	7,823	SYS		
29	SIGN, SHEET, AND SUPPORTS, REMOVE	39	1	40	EACH		
30	SIGN, SHEET, REMOVE	78	1	79	EACH		
31	SOLAR POWERED FLASHING BEACON, REMOVE	3	0	3	EACH		
32	SPRINKLER HEAD, REMOVE	75	0	75	EACH		
33	COMMON EXCAVATION	14,760	414	15,173	CYS		
34	NO. 2 STONE (UNDISTRIBUTED)	7,000	0	7,000	TONS		
35	TEMPORARY INLET PROTECTION	85	9	94	EACH		
36	TEMPORARY SEED MIXTURE	100	0	100	LBS		
37	TEMPORARY SILT FENCE	6,770	300	7,070	LFT		
38	SUBGRADE TREATMENT, IC	12,695	470	13,165	SYS		
39	SUBGRADE TREATMENT, II	1,079	0	1,079	SYS		
40	SUBGRADE TREATMENT, III	5,354	0	5,354	SYS		
41	B-BORROW (UNDISTRIBUTED)	3,500	0	3,500	CYS		

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
42	STRUCTURE BACKFILL, TYPE 2	265	12	277	CYS		
43	STRUCTURE BACKFILL, TYPE 3	0	93	93	CYS		
44	STRUCTURE BACKFILL, TYPE 5	35	0	35	CYS		
45	COMPACTED AGGREGATE # 53, BASE	3,478	0	3,478	TONS		
46	SUBBASE FOR PCCP	10	0	10	SYS		
47	WIDENING WITH HMA, TYPE D	2,384	28	2,412	TONS		
48	BITUMINOUS COLD PLANING UP TO 3 INCHES (UNDISTRIBUTED)	2,500	0	2,500	SYS		
49	MILLING, APPROACH	3,040	0	3,040	SYS		
50	MILLING, ASPHALT, 1.5 INCH	51,091	1,761	52,852	SYS		
51	MILLING, ASPHALT, 7 INCH	280	44	324	SYS		
52	MILLING, SCARIFICATION	800	0	800	SYS		
53	HMA BASE 25.0 MM FOR BASE REPAIR (UNDISTRIBUTED)	2,500	0	2,500	TONS		
54	HMA BASE, TYPE D	3,562	112	3,674	TONS		
55	HMA INTERMEDIATE, TYPE D	1,275	35	1,310	TONS		
56	HMA SURFACE, TYPE D	7,192	220	7,412	TONS		
57	QC/QA-HMA INTERMEDIATE, OG, 19.0 MM	1,248	60	1,308	TONS		
58	BASE SEAL	10	0	10	TONS		
59	BOLLARD, INDIANAPOLIS CULTURAL TRAIL, RELOCATE	2	0	2	EACH		
60	FLAGPOLE, 35'	1	0	1	EACH		
61	FLAGPOLE, 60'	1	0	1	EACH		
62	PERMANENT TUBULAR MARKER, ASPHALT ANCHOR	4	0	4	EACH		
63	TRASH RECEPTACLE, INDIANAPOLIS CULTURAL TRAIL, RELOCATE	2	0	2	EACH		
64	CONCRETE SIDEWALK, 4 INCH	134	215	349	SYS		
65	CONCRETE SIDEWALK, REINFORCED, 4 INCH	8,118	0	8,118	SYS		
66	CURB RAMP, CONCRETE, 4 INCH	177	81	258	SYS		
67	CURB RAMP, CONCRETE, PCCP FOR DRIVEWAYS, 9 INCH	377	0	377	SYS		
68	CURB RAMP, CONCRETE, REINFORCED, 4 INCH	300	0	300	SYS		
69	DETECTABLE WARNING SURFACES, CAST IRON	194	17	211	SYS		
70	DETECTABLE WARNING SURFACES, CAST IRON, RETROFIT	2	0	2	SYS		
71	HANDRAIL, STAINLESS STEEL	40	0	40	LFT		
72	HMA FOR SIDEWALKS	788	0	788	TONS		
73	PAVER EDGE RESTRAINT	84	0	84	LFT		
74	PAVERS, TYPE E, CONCRETE, 2-1/4 INCH, RESET	586	0	586	SFT		
75	PAVERS, TYPE F, CONCRETE, ADA, 2-1/4 INCH, RESET	44	0	44	SFT		
76	PAVERS, TYPE H, BRICK, RESET	1,070	0	1,070	SFT		
77	PAVERS, TYPE L, CONCRETE, 2-1/4 INCH, RESET	175	0	175	SFT		
78	PCCP FOR APPROACHES, 6 INCH, UNDER PAVERS	27	0	27	SYS		
79	PCCP, 4 INCH, MODIFIED	63	0	63	SYS		
80	STEPS, CONCRETE	9	0	9	CYS		
81	CONCRETE CENTER CURB, TYPE A	105	22	127	SYS		
82	CONCRETE CENTER CURB, TYPE D	233	0	233	SYS		

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
83	CONCRETE CURB, 20"	8,722	63	8,785	LFT		
84	CONCRETE CURB, INTEGRAL	71	0	71	LFT		
85	CONCRETE CURB, INTEGRAL, TYPE B	583	0	583	LFT		
86	CURB & GUTTER, CONCRETE, MODIFIED	672	320	992	LFT		
87	MONOLITHIC CONCRETE CURB, MODIFIED	4,497	0	4,497	LFT		
88	HMA FOR APPROACHES, TYPE D	831	52	883	TONS		
89	PCCP FOR APPROACHES, 9 INCH	747	0	747	SYS		
90	MONUMENT, TYPE B	15	1	16	EACH		
91	CAP IRRIGATION SUPPLY LINE (UNDISTRIBUTED)	25	0	25	EACH		
92	IRRIGATION SUPPLY LINE, REPLACE (UNDISTRIBUTED)	1,000	0	1,000	LFT		
93	IRRIGATION SYSTEM	1	0	1	LS		
94	MOBILIZATION AND DEMOBILIZATION FOR SEEDING	6	0	6	EACH		
95	SODDING, NURSERY	10,000	81	10,081	SYS		
96	TOP SOIL	833	14	847	CYS		
97	WATER	40	1	41	KGAL.		
98	PLANT, GROUNDCOVER, LIRIOPE MUSCARI	25	0	25	EACH		
99	PLANT, GROUNDCOVER, PACHYSANDRA	0	1,100	1,100	EACH		
100	TREE PROTECTION AND PRUNING	593	31	624	LFT		
101	FIELD OFFICE, 550 SFT	15	0	15	MOS.		
102	CONCRETE, C, BUS SHELTER SLAB	15	0	15	CYS		
103	HMA FOR STRUCTURE INSTALLATION, TYPE D	31	0	31	TONS		
104	PCCP FOR STRUCTURE INSTALLATION	0	0	0	SYS		
105	PIPE, PVC, 4 INCH	4	0	4	LFT		
106	PIPE, RCP, CIRCULAR, 12 INCH	230	0	230	LFT		
107	PIPE, RCP, CIRCULAR, 15 INCH	849	24	873	LFT		
108	PIPE, RCP, CIRCULAR, 18 INCH	0	0	0	LFT		
109	PIPE, RCP, CIRCULAR, 21 INCH	0	0	0	LFT		
110	AGGREGATE FOR UNDERDRAINS	692	34	726	CYS		
111	GEOTEXTILES FOR UNDERDRAIN	5,904	283	6,187	SYS		
112	VIDEO INSPECTION FOR UNDERDRAINS	3,000	0	3,000	LFT		
113	PIPE, TYPE 4, 6 INCH	7,630	368	7,998	LFT		
114	ADJUST CASTING TO GRADE, INLET	15	0	15	EACH		
115	ADJUST CASTING TO GRADE, MANHOLE	27	1	28	EACH		
116	CASTING TYPE 1, FURNISH AND ADJUST TO GRADE	4	3	7	EACH		
117	CASTING TYPE 2, FURNISH AND ADJUST TO GRADE	9	0	9	EACH		
118	CASTING TYPE 3, FURNISH AND ADJUST TO GRADE	5	0	5	EACH		
119	CASTING TYPE 4, FURNISH AND ADJUST TO GRADE	1	0	1	EACH		
120	INLET, B-15	11	0	11	EACH		
121	INLET, C-15	2	0	2	EACH		
122	INLET, CAP	1	0	1	EACH		
123	INLET, E-7	2	0	2	EACH		

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
124	INLET, J-10	16	3	19	EACH		
125	INLET, J-3	1	0	1	EACH		
126	INLET, M-10	10	0	10	EACH		
127	MANHOLE, C-2	1	0	1	0		
128	MANHOLE, C-4	2	0	2	EACH		
129	MANHOLE, E-8	1	0	1	0		
130	PIPE CATCH BASIN, 15"	1	0	1	EACH		
131	AGGREGATE FOR DRAINAGE FILL	0	31	31	CYS		
132	MODULAR BLOCK WALL	0	698	698	SFT		
133	MODULAR BLOCK WALL, ERECTION	0	698	698	SFT		
134	BARRICADE, III-A	450	0	450	LFT		
135	BARRICADE, PEDESTRIAN	200	0	200	LFT		
136	CONSTRUCTION SIGN, A	33	0	33	EACH		
137	CONSTRUCTION SIGN, B	159	0	159	EACH		
138	MAINTENANCE OF TRAFFIC	1	0	1	LS		
139	TEMPORARY PAVEMENT MARKING, REMOVABLE, 24 INCH	401	0	401	LFT		
140	TEMPORARY PAVEMENT MARKING, 4 INCH	27,464	0	27,464	LFT		
141	TEMPORARY PAVEMENT MARKING, 6 INCH	5,701	0	5,701	LFT		
142	TEMPORARY PAVEMENT MESSAGE MARKING, LANE INDICATION ARROW	1	0	1	EACH		
143	TEMPORARY PAVEMENT MESSAGE MARKING, REMOVABLE, LANE INDICATION ARROW	10	0	10	EACH		
144	TEMPORARY PEDESTRIAN BARRIER (UNDISTRIBUTED)	2,500	0	2,500	LFT		
145	NON-SHEET SIGN LIGHTING, RELOCATE AND REESTABLISH LIGHTING	2	0	2	EACH		
146	NON-SHEET SIGN, RELOCATE	19	0	19	EACH		
147	SIGN FOUNDATION, CONCRETE	26	0	26	CYS		
148	SIGN POST, SQUARE, REINFORCED ANCHOR BASE	1,233	34	1,267	LFT		
149	SIGN, SHEET, RELOCATE	47	2	49	EACH		
150	SIGN, SHEET, W/LEGEND, 0.080 INCH	1,169	31	1,200	SFT		
151	SIGN, SHEET, W/LEGEND, 0.100 INCH	125	6	131	SFT		
152	SIGN, SHEET, W/LEGEND, 0.125 INCH	350	0	350	SFT		
153	CONTROLLER AND CABINET	6	0	6	EACH		
154	CONTROLLER AND CABINET, RELOCATE	2	0	2	EACH		
155	CONTROLLER AND CABINER, SECONDARY, MENU DRIVEN, 8 PHASE	3	0	3	EACH		
156	CONTROLLER CABINET FOUNDATION, P-1	8	0	8	EACH		
157	DETECTOR CABLE, 4C, 20 GA.	752	0	752	LFT		
158	DISCONNECT HANGER	8	0	8	EACH		
159	EMERGENCY VEHICLE PREEMPTION DETECTOR, TWO CHANNEL, TWO DIRECTION	4	0	4	EACH		
160	GALVANIZED STEEL CONDUIT, 2 INCH	10,464	71	10,535	LFT		
161	LOOP DETECTOR DELAY COUNTING AMPLIFIER, 2 CHANNEL	23	1	24	EACH		
162	PEDESTRIAN PUSH BUTTON, APS	57	0	57	EACH		
163	PEDESTRIAN SIGNAL HEAD WITH INTERNATIONAL SYMBOL, 18 IN, COUNTDOWN	57	0	57	EACH		
164	SAW CUT FOR ROADWAY LOOP AND SEALANT	6,150	150	6,300	LFT		

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
165	SIGNAL CABLE, CONTROL, COPPER, 3C/14GA	8,807	153	8,960	LFT		
166	SIGNAL CABLE, CONTROL, COPPER, 5C/14GA	11,647	0	11,647	LFT		
167	SIGNAL CABLE, CONTROL, COPPER, 7C/14GA	1,948	0	1,948	LFT		
168	SIGNAL CABLE, CONTROL, COPPER, 9C/14GA	4,138	225	4,363	LFT		
169	SIGNAL CABLE, DETECTOR LEAD-IN, COPPER, 2C/16 GA	5,733	0	5,733	LFT		
170	SIGNAL CABLE, INTERCONNECT, FIBEROPTIC	7,519	0	7,519	LFT		
171	SIGNAL CABLE, RELOCATE EXISTING (UNDISTRIBUTED)	200	0	200	LFT		
172	SIGNAL CABLE, ROADWAY LOOP, 1C/14GA	15,580	380	15,960	LFT		
173	SIGNAL CANTILEVER STRUCTURE, SINGLE ARM 15 FT.	1	0	1	EACH		
174	SIGNAL CANTILEVER STRUCTURE, SINGLE ARM 20 FT.	4	0	4	EACH		
175	SIGNAL CANTILEVER STRUCTURE, SINGLE ARM 25 FT.	9	0	9	EACH		
176	SIGNAL CANTILEVER STRUCTURE, SINGLE ARM 30 FT.	6	0	6	EACH		
177	SIGNAL CANTILEVER STRUCTURE, SINGLE ARM 35 FT.	5	0	5	EACH		
178	SIGNAL CANTILEVER STRUCTURE, SINGLE ARM 45 FT.	1	0	1	EACH		
179	SIGNAL DETECTOR HOUSING	40	1	41	EACH		
180	SIGNAL HANDHOLE, ADJUST TO GRADE (UNDISTRIBUTED)	20	0	20	EACH		
181	SIGNAL HANDHOLE, TYPE 1	57	0	57	EACH		
182	SIGNAL MAST ARM, 20 FT.	2	0	2	EACH		
183	SIGNAL MAST ARM, 25 FT.	3	0	3	EACH		
184	SIGNAL MAST ARM, 30 FT.	1	0	1	EACH		
185	SIGNAL PEDESTAL FOUNDATION, A	23	0	23	EACH		
186	SIGNAL POLE, PEDESTAL, 11 FT.	15	0	15	EACH		
187	SIGNAL POLE, PEDESTAL, 4 FT.	8	0	8	EACH		
188	SIGNAL POLE FOUNDATION, 30 IN. X 30 IN. X 84 IN.	25	0	25	EACH		
189	SIGNAL SERVICE	3	0	3	EACH		
190	SIGNAL SERVICE CABLE, 3C/8	1,804	0	1,804	LFT		
191	SIGNAL STRAIN POLE, STEEL, 36 FT.	8	0	8	EACH		
192	SIGNAL SUPPORT FOUNDATION, 36 IN. X 36 IN. X 96 IN.	8	0	8	EACH		
193	SIGNAL SUPPORT FOUNDATION, 36 IN. X 144 IN.	1	0	1	EACH		
194	SPAN, CATENARY, AND TETHER	8	0	8	EACH		
195	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #1	1	0	1	LS		
196	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #2	1	0	1	LS		
197	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #3	1	0	1	LS		
198	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #4	1	0	1	LS		
199	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #5	1	0	1	LS		
200	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #6	1	0	1	LS		
201	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #7	1	0	1	LS		
202	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #8	1	0	1	LS		
203	TRAFFIC SIGNAL EQUIPMENT, REMOVE, LOCATION #9	1	0	1	LS		
204	TRAFFIC SIGNAL HEAD, 3 SECTION, 12 INCH	62	0	62	EACH		
205	TRAFFIC SIGNAL HEAD, 3 SECTION, 12 INCH, OPTICALLY PROGRAMMED	0	1	1	EACH		

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
206	TRAFFIC SIGNAL HEAD, 3 SECTION, 12 IN., RED, AMBER, GREEN, BICYCLE	1	0	1	EACH		
207	TRAFFIC SIGNAL HEAD, 5 SECTION, 12 INCH	22	0	22	EACH		
208	TRAFFIC SIGNAL HEAD, 5 SECTION, 12 INCH, TRANSPORT AND INSTALL	1	0	1	EACH		
209	TRAFFIC SIGNAL HEAD, PEDESTRIAN HYBRID BEACON, 12 INCH, RED, RED, AMBER	13	0	13	EACH		
210	CABLE, NO. 8 AWG, COPPER	1,468	0	1,468	LFT		
211	CONDUIT, HDPE, 1 INCH, SCHEDULE 40	5,227	0	5,227	LFT		
212	GROUND LIGHT, RELOCATE	2	0	2	EACH		
213	HANDHOLE, LIGHTING	32	0	32	EACH		
214	LIGHT POLE ASSEMBLY, 12 FT HEIGHT, REMOVE	3	0	3	EACH		
215	LIGHT POLE ASSEMBLY, 20', REMOVE	1	0	1	EACH		
216	LIGHT POLE ASSEMBLY, 12' HEIGHT, RELOCATE	26	0	26	EACH		
217	LIGHT POLE ASSEMBLY, DECORATIVE, 12' HEIGHT	1	0	1	EACH		
218	LIGHTING FOUNDATION, CONCRETE, WITH GROUNDING, 24 INCH X 48 INCH	27	0	27	EACH		
219	LIGHTING FOUNDATION, REMOVE	30	0	30	EACH		
220	CROSSWALKS, DECORATIVE, THERMOPLASTIC	1,020	0	1,020	SFT		
221	CURB PAINTING, YELLOW	100	0	100	SFT		
222	CYCLE GUIDE LIGHTS	87	0	87	EACH		
223	LINE, MULTI-COMPONENT, BROKEN, WHITE, 4 INCH	760	0	760	LFT		
224	LINE, MULTI-COMPONENT, DOTTED, WHITE, 4 INCH	0	180	180	LFT		
225	LINE, MULTI-COMPONENT, DOTTED, YELLOW, 4 INCH	0	60	60	LFT		
226	LINE, MULTI-COMPONENT, SOLID, RED, 4 INCH	0	29	29	LFT		
227	LINE, MULTI-COMPONENT, SOLID, WHITE, 4 INCH	768	0	768	LFT		
228	LINE, MULTI-COMPONENT, SOLID, YELLOW, 4 INCH	1,528	29	1,557	LFT		
229	LINE, REMOVE (UNDISTRIBUTED)	5,000	0	5,000	LFT		
230	LINE, THERMOPLASTIC, BROKEN, WHITE, 4 INCH	3,806	167	3,973	LFT		
231	LINE, THERMOPLASTIC, DOTTED, WHITE, 4 INCH	11,110	96	11,206	LFT		
232	LINE, THERMOPLASTIC, DOTTED, YELLOW, 4 INCH	215	28	243	LFT		
233	LINE, THERMOPLASTIC, SOLID, RED, 4 INCH	0	654	654	LFT		
234	LINE, THERMOPLASTIC, SOLID, WHITE, 4 INCH	13,205	457	13,662	LFT		
235	LINE, THERMOPLASTIC, SOLID, WHITE, 8 INCH	174	0	174	LFT		
236	LINE, THERMOPLASTIC, SOLID, YELLOW, 4 INCH	13,894	355	14,249	LFT		
237	PAVEMENT MARKING, PAINT, GREEN	622	290	912	SFT		
238	PAVEMENT MESSAGE MARKING, PREFORMED PLASTIC, BIKE SYMBOL	6	0	6	EACH		
239	PAVEMENT MESSAGE MARKING, PREFORMED PLASTIC, LANE INDICATION ARROW	8	0	8	EACH		
240	PAVEMENT MESSAGE MARKING, PREFORMED PLASTIC, SHARED LANE	6	0	6	EACH		
241	PAVEMENT MESSAGE MARKING, REMOVE	50	0	50	SYS		
242	PAVEMENT MESSAGE MARKING, THERMOPLASTIC, BIKE ARROW	82	2	84	EACH		
243	PAVEMENT MESSAGE MARKING, THERMOPLASTIC, BIKE SYMBOL	82	2	84	EACH		
244	PAVEMENT MESSAGE MARKING, THERMOPLASTIC, BUS	0	3	3	EACH		
245	PAVEMENT MESSAGE MARKING, THERMOPLASTIC, LANE INDICATION ARROW	91	3	94	EACH		
246	PAVEMENT MESSAGE MARKING, THERMOPLASTIC, ONLY	49	4	53	EACH		

**PART 3**  
**CONTRACT ITEMS AND UNIT PRICES**

ITEM NO	DESCRIPTION	ST-25-091 (C) QUANTITY	ST-25-091 (H) QUANTITY	TOTAL QUANTITY	UNITS	UNIT PRICE	AMOUNT
247	SNOWPLOWABLE RAISED PAVEMENT MARKER, TWO-WAY, BLUE	60	0	60	EACH		
248	TRANSVERSE MARKING, PREFORMED PLASTIC, 24 INCH CROSSWALK LINE	203	0	203	LFT		
249	TRANSVERSE MARKING, PREFORMED PLASTIC, 24 INCH STOP LINE	45	0	45	LFT		
250	TRANSVERSE MARKING, PREFORMED PLASTIC, 6 INCH CROSSWALK LINE	70	0	70	LFT		
251	TRANSVERSE MARKING, THERMOPLASTIC, 24 INCH CROSSWALK LINE	7,081	136	7,217	LFT		
252	TRANSVERSE MARKING, THERMOPLASTIC, 24 INCH STOP LINE	1,572	42	1,614	LFT		
253	TRANSVERSE MARKING, THERMOPLASTIC, 6 INCH CROSSWALK LINE	520	0	520	LFT		
254	TRANSVERSE MARKING, THERMOPLASTIC, CROSSHATCH LINE, WHITE, 12 INCH	36	0	36	LFT		
255	TRANSVERSE MARKING, THERMOPLASTIC, CROSSHATCH LINE, YELLOW, 12 INCH	57	0	57	LFT		
256	TRANSVERSE MARKING, THERMOPLASTIC, YIELD LINE, 18 INCH	100	0	100	LFT		
257	EMERGENCY ENTRANCE GATE, RELOCATE	1	0	1	EACH		

(IN FIGURES)

---

(IN WORDS)

---